

## SHADOW GT SCXF8540TTA3

### SHADOW GT SCXF8540TTA3

The most popular motorsports trailer in America, Shadow GT(tm) is the best looking flat-top auto hauler you can own. Racers from coast-to-coast who want an auto trailer built for the rigors of a long race season choose Shadow GT. Standard features include a wide-body design with six additional inches of interior height for 2008, trailer-rated radial tires on Pace exclusive Enkei aluminum wheels, recessed ramp door with stainless steel swivel handles, polished cast aluminum front corners, LED exterior lighting, and patented dust-proof sidewalls to name a few.

No matter what your trailering need is - from weekend warrior to high mileage professional - when the road is your home, it's a good feeling to know you have Pace quality, support, and resale value behind you. The Shadow Series has earned this top-quality reputation through years of experience. We design, build, and use our trailers so that they work the way racers need them to.

At Pace, we build and support our product with a credible honest, fast and fair 5/3 year warranty to keep you on the road. Contingency sponsorships and TrackSide Service also means we support our customers long after the sale. If you're looking for the best, follow our Shadow.

#### **STANDARD FEATURES**

- 11 Standard Exterior Colors
- Patented Dust-Proof Sidewall Design for Strength and Cleanliness
- Truck Body Style Flat Top Roof Design
- Body Color Aluminum Wrapped Side Door and Rear Corner Posts
- Tubed Roof Bows w/ 24" On-Center
- Formed Steel Rear Header
- Recessed Ramp Door w/Spring Assist and Flap (4500# Cap.)
- Beavertail for Easy Loading
- Automotive Style D-Bulb Weatherstripping
- Dexter Independent Torsion Suspension (ITS) Axles
- All Wheel Electric Brakes with 12v Breakaway Switch, Including Battery & Trickle Charger
- Trailer Rated Radial Tires
- No-Rust Galvaneal Steel Sidedoor Stepwell
- White Vinyl Ceiling
- 3/8" Plywood Interior Walls
- Heavy-Duty Semi-Style Flat Roof Structure and Construction

- One Piece Seamless Aluminum Roof
- High-Tech Roof Sealant
- 16" On-Center Sidewall Posts
- 16" On-Center Frame Crossmembers
- Chip Resistant Frame Undercoating
- Frames are phosphate power washed and all exposed metal is painted with premium quality paint
- Chip Resistant Undercoating
- Pace Exclusive Motorsport Aluminum Wheels by Enkei
- 3/4" Plywood Floor
- Wide Body Design
- Rust Resistant Galvaneal Rear Crossmember
- Extruded Aluminum Top Rail
- Mirror-Finished Stainless Steel Front Corner Wrap
- 6ft 9in Interior Height w/ 8in I-Beam
- 8" I-Beam Frame (GN/5th wheel)
- Mirror-Finished Rear Corner Posts & Header
- LED 12v Exterior Lighting, including Clear Taillights

And More



Pace Motorsport aluminum wheels by Enkei and extruded aluminum fenders are Pace exclusives and differentiate your Shadow GT from the competition.



Polished stainless steel swivel handles and recessed rear ramp door are standard equipment on the Shadow GT. They are the most trick in the industry.



# SHADOW GT SCXF8540TTA3

### SPECIFICATIONS SCXF8540TTA3

Interior Length40'0"Box Width/OA Width8'4"/8'6"Box Height/OA Height8'11"Interior Width8'0"/6'9"Interior Height (to center of roof bow)6'10"Platform Height/Ball Height22"Rear DoorsRampRear Door Width87-1/2"Rear Door Height72"Axles5000# TripleBrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding Gear2/4" PlywoodFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height51"Attic Interior Height32"Loading Height17"	Overall Length	40'6"
Box Height/OA Height8'11"Interior Width8'0"/6'9"Interior Height (to center of roof bow)6'10"Platform Height/Ball Height22"Rear DoorsRampRear Door Width87-1/2"Rear Door Height72"Axles5000# TripleBrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding Gear24%Curb Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GWWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Interior Length	40'0"
Interior Width8'0"/6'9"Interior Height (to center of roof bow)6'10"Platform Height/Ball Height22"Rear DoorsRampRear Door Width87-1/2"Rear Door Height72"Axles5000# TripleBrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding Gear21% Pin Box withFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GWWR15,000#Lower Deck Box Length31'8"Sidewall Height51"Attic Interior Height32"	Box Width/OA Width	8'4"/8'6"
Interior Height (to center of roof bow)6'10"Platform Height/Ball Height22"Rear DoorsRampRear Door Width87-1/2"Rear Door Height72"Axles5000# TripleBrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding GearCurb Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GWWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Box Height/OA Height	8'11"
Platform Height/Ball Height22"Rear DoorsRampRear Door Width $87-1/2"$ Rear Door Height $72"$ Axles $5000\#$ TripleBrakesElectricFrame $8"$ I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size $2"$ Pin Box withLanding GearCurb WeightTired Weight1475#Exterior.030 SmoothFloor $3/4"$ PlywoodSidewalls $3/8"$ PlywoodPayload Capacity $7624#$ GWWR15,000#Lower Deck Box Length $31'8"$ Sidewall Height $6'9"$ Riser Wall Height $51"$ Attic Interior Height $32"$	Interior Width	8'0"/6'9"
Rear DoorsRampRear Door Width87-1/2"Rear Door Height72"Axles5000# TripleBrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding GearCurb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GWWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Interior Height (to center of roof bow)	6'10"
Rear Door Width87-1/2"Rear Door Height72"Axles5000# TripleBrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding GearCurb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GWWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Platform Height/Ball Height	22"
Rear Door Height72"Axles5000# TripleBrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding GearCurb WeightCurb Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Rear Doors	Ramp
Axles5000# TripleBrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding GearCurb Weight7376#1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GWWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Rear Door Width	87-1/2"
BrakesElectricFrame8" I-BeamTire SizeST225 75R15LRDLRDHitch Ball Size2" Pin Box withLanding GearCurb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GWWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Rear Door Height	72"
FrameB" I-BeamTire SizeST225 75R15LRDHitch Ball Size2" Pin Box withLanding GearCurb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Axles	5000# Triple
Tire SizeST225 75R15LRDHitch Ball Size2" Pin Box with Landing GearCurb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Brakes	Electric
LRDHitch Ball Size2" Pin Box with Landing GearCurb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Frame	8" I-Beam
Hitch Ball Size2" Pin Box with Landing GearCurb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Tire Size	ST225 75R15
Landing GearCurb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"		LRD
Curb Weight7376#Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Hitch Ball Size	2" Pin Box with
Hitch Weight1475#Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"		Landing Gear
Exterior.030 SmoothFloor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Curb Weight	7376#
Floor3/4" PlywoodSidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Hitch Weight	1475#
Sidewalls3/8" PlywoodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Exterior	.030 Smooth
Payload Capacity5/0 'rg noodPayload Capacity7624#GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Floor	3/4" Plywood
GVWR15,000#Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Sidewalls	3/8" Plywood
Lower Deck Box Length31'8"Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	Payload Capacity	7624#
Sidewall Height6'9"Riser Wall Height51"Attic Interior Height32"	GVWR	15,000#
Riser Wall Height  51"    Attic Interior Height  32"	Lower Deck Box Length	31'8"
Attic Interior Height 32"	Sidewall Height	6'9"
5	Riser Wall Height	51"
Loading Height 17"	Attic Interior Height	32"
	Loading Height	17"

OPTIONAL EQUIPMENT

- Stacker w/ Hydraulic Car Lift
- Flooring Options
- Side Door Upgrades
- Access & Baggage Doors
- Wheel Upgrades
- Finished Interior Packages Include-White Aluminum Walls, White Vinyl Ceiling, & Choice of Flooring w/ ATP on Ramp Door & Flap
- Custom Interiors
- Extra Height
- Window Options
- Sprint Car Roof
- VHB by 3M Fastenerless Exterior
- Electrical Packages (5 to choose from)
- Shadow Daytona Package
- Spare Tire w/ Mount
- Living Quarter- Lounge and Bathroom Options
- Bathrooms (see dealer for details)
- Hydraulic Brakes
- Air Line
- E-Track: Floor or Wall

- Ladders- Interior or Exterior
- Air Compressor
- Underfloor Fuel Station
- Scissor, Stabilizer or Drop Down Jacks
- AC with or without Heatstrip
- Generator Prep Package
- Carpeted Side Walls
- Finished Partition Wall w/Door
- Insulation- Wall or Ceiling
- Escape Hatch
- Aluminum Door Caddy
- Aluminum Fuel Jug Holder
- Tire Racks & Slick Hangers
- Swing-Up Step
- 12v Winch

•

- Power Roof Vent
- Fluorescent Lights
- 110v Wiring & Lighting
- Dome Light (SX or LX)
- Black Coin Rubber Floor
- Additional Roof Bows
- Additional Sidewall Posts
- Bogey Wheels
  And More

NOTE: All standards, options, special packages, construction and specifications listed are subject to change. Photography may show optional items available at additional cost. Please consult your authorized dealer for the latest product information.

Modern clear lens exterior LED lighting is part of the GT package and offers a brighter, safer, longer lasting light that takes less voltage to operate.



The aluminum top rail extrusion is sleek, functional and stronger than other brands.



PACE TRAILERS ARE DESIGNED AND BUILT FROM THE GROUND UP BY PROFESSIONALS WHO ACTUALLY USE TRAILERS.

CUSTOMER SERVICE HOTLINE IS JUST ONE OF MANY WAYS PACE SUPPORTS YOU AFTER THE SALE. CALL US AT 800-247-5767 ANYTIME.

FRIENDLY DEALERS FROM COAST-TO-COAST MEANS YOU'LL NEVER BE STRANDED WHEN YOU CHOOSE PACE.


Your Closest Authorized Pace American Dealer:

Find your nearest Pace American dealer at http://www.paceamerican.com/find/



paceamerican.com 800.247.5767

### FLOORPLAN PLAYGROUND



DESCRIPTION GRID=12*x12* SQUARES	TRACE 11550 HARTER DRIVE	· 人 小和国人 ● MIDULEBURY, IN. 46540 Scale いすつ Lappenter BY. Inwe BY. DAIA		REVISED:		
ESCRIF	NOTES:		1	1	1	
	DESCRIPTION					

PAGE AMERICAN CLAIMS PROPRIETARY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. METHER THIS DRAWING NOR ANY REPRODUCTION THEREOF MAY BE USED TO MANUFACTURE ANTHING WITHOUT PERMISSION IN WRITING.